

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Product Name: Beryllium sulfate tetrahydrate 99.9%

Product Code: B10160

Supplier: Pfaltz & Bauer, Inc.
172 E. Aurora Street
Waterbury, CT 06708 USA

Phone: 203-574-0075

FAX: 203-574-3181

Emergency Phone: INFOTRAC, US: 1-800-535-5053
INFOTRAC, INTERNATIONAL: +1-352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Statement of Hazard: Environmentally hazardous, Irritant, Respiratory irritant, Skin sensitizer, Toxic

Acute Health Hazard: Irritant to eyes, skin, mucous membranes and respiratory system. May be toxic by ingestion, harmful by skin absorption, and fatal by inhalation.

Chronic Health Hazard: Carcinogen, Target organ effect

HMIS Rating: H: 3 F: 0 P: 0

NFPA Rating: H: 4 F: 0 R: 0

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

GHS Classification in accordance with Regulation (EC) No 1272/2008:

Acute toxicity, dermal (Category 4), H312
Acute toxicity, inhalation (Category 1), H330
Acute toxicity, oral (Category 3), H301
Carcinogenicity (Category 1A), H350
Hazardous to the aquatic environment, chronic toxicity (Category 2), H411
Sensitization, skin (Category 1), H317
Serious eye damage/eye irritation (Category 2A), H319
Skin corrosion/irritation (Category 2), H315
Specific target organ toxicity, repeated exposure (Category 1), H372
Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3), H335

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

H301 Toxic if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H350 May cause cancer.
H372 Causes damage to organs through prolonged or repeated exposure
H411 Toxic to aquatic life with long-lasting effects.

Precautionary Statement(s):

P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P284 Wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 IF ON SKIN: wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

Chemical Name:

Beryllium sulfate tetrahydrate 99.9%

<u>CAS Number:</u>	7787-56-6
<u>MDL Number:</u>	MFCD00149156
<u>EINECS Number:</u>	236-842-2
<u>Beilstein Registry Number:</u>	Not Available
<u>Molecular Formula:</u>	BeSO ₄ ·4H ₂ O
<u>Molecular Weight:</u>	177.14
<u>Content:</u>	As specified in product name.

SECTION 4: FIRST AID MEASURES

<u>Eye Contact:</u>	Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention.
<u>Skin Contact:</u>	Wash skin with soap and water. If irritation persists, seek medical attention.
<u>Ingestion:</u>	Do not induce vomiting. Seek medical attention.
<u>Inhalation:</u>	Move to a fresh air environment. Contact a physician if breathing becomes difficult.

SECTION 5: FIRE FIGHTING MEASURES

<u>Flash Point (°C):</u>	Not Available
<u>Explosion Limits:</u>	Not Available
<u>Auto Ignition Temperature (°C):</u>	Not Available
<u>Extinguishing Media:</u>	Carbon dioxide, dry chemical powder, alcohol-resistant foam, or water spray
<u>Protective Equipment:</u>	Wear self-contained respirator and fully protective impervious suit.
<u>Specific Hazards:</u>	May emit hazardous fumes under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

<u>Personal Protection:</u>	Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed. Keep unprotected persons away.
<u>Environmental Protection:</u>	Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING and STORAGE

<u>Handling and Storage:</u>	Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away. Store in a tightly closed container in a dry, well-ventilated place.
<u>Sensitivities:</u>	Moisture
<u>Storage Temperature (°C):</u>	15 to 30

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Engineering Controls:</u>	Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction.
<u>Eye Protection:</u>	Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.
<u>Skin Protection:</u>	Wear impervious gloves and protective clothing.
<u>Respiratory Protection:</u>	Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.

<u>Exposure Limits:</u>	<u>Country</u>	<u>Source</u>	<u>Type</u>	<u>Value</u>
	USA	ACGIH	TWA	0.00005 mg/m ³
	USA	OSHA	STEL	Not Available
	USA	OSHA	PEL	Not Available

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

<u>Appearance:</u>	White crystalline lumps
<u>Odor:</u>	Not Available
<u>Odor Threshold:</u>	Not Available

Flash Point (°C): Not Available

Auto Ignition Temperature (°C): Not Available

UEL % by Volume: Not Available

LEL % by Volume: Not Available

Melting Point (°C): 550-600

Boiling Point (°C): Not Available

Evaporation Rate: Not Available

pH Value: Not Available

Density (g/cm³): 1.1713

Refractive Index (n²⁰_D): Not Available

Viscosity: Not Available

Solubility in Water: Soluble

Solubility in Other: Insoluble in Alcohol

Vapor Pressure (mmHg): Not Available

Vapor Density (Air=1): Not Available

SECTION 10: STABILITY and REACTIVITY

Stability: Stable under normal temperatures and pressures.

Incompatibility: Strong oxidizing agents

Reactivity: Product may react with incompatible materials to release other hazardous substances.

Conditions to Avoid: Heat, flame, sparks, other ignition sources.

Hazardous Decomposition Products: Beryllium oxides, Sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

<u>RTECS Reference:</u>	DS5000000
<u>Target Organs:</u>	Not Available
<u>Toxicity Data:</u>	Oral Rat LD ₅₀ mg/kg: 82.00
<u>Carcinogenicity:</u>	National Toxicology Program (NTP) listed: Not Available International Agency for Research on Cancer (IARC) listed: Not Available
<u>Potential Symptoms:</u>	Not Available

SECTION 12: ECOLOGICAL INFORMATION

<u>Toxicity:</u>	Not Available
------------------	---------------

SECTION 13: DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

<u>DOT Shipping Name:</u>	Beryllium Compound, N.O.S.
---------------------------	----------------------------

<u>DOT UN Number:</u>	UN1566
-----------------------	--------

<u>DOT Hazard Class:</u>	Class 6.1
--------------------------	-----------

<u>DOT Packing Group:</u>	PGII
---------------------------	------

<u>IMDG Shipping Name:</u>	Beryllium Compound, N.O.S.
----------------------------	----------------------------

<u>IMDG UN Number:</u>	UN1566
------------------------	--------

<u>IMDG Hazard Class:</u>	Class 6.1
---------------------------	-----------

<u>IMDG Packing Group:</u>	PGII
----------------------------	------

<u>Marine Pollutant:</u>	No
--------------------------	----

<u>IATA Shipping Name:</u>	Beryllium Compound, N.O.S.
----------------------------	----------------------------

<u>IATA UN Number:</u>	UN1566
------------------------	--------

<u>IATA Hazard Class:</u>	Class 6.1
---------------------------	-----------

SECTION 15: REGULATORY INFORMATIONUnited States

Toxic Substance Control Act (TSCA) listed: No

Superfund Amendments and Reauthorization Act (SARA 302) listed: No

Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No

Superfund Amendments and Reauthorization Act (SARA 313) listed: No

European Union

European Inventory of Existing Chemical Substances (EINECS): 236-842-2

GHS Classification in accordance with Regulation (EC) No 1272/2008: Yes

Canada

Canadian Domestic Substances List (DSL) listed: No

Canadian Non-Domestic Substances List (NDSL) listed: No

SECTION 16: OTHER INFORMATIONDate Prepared: 6/21/2023

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.