

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Product Name: Cyclohexane 98%

Product Code: C30070

Supplier: Pfaltz & Bauer, Inc.
172 E. Aurora Street
Waterbury, CT 06708 USA

Phone: 203-574-0075

FAX: 203-574-3181

Emergency Phone: INFOTRAC, US: 1-800-535-5053
INFOTRAC, INTERNATIONAL: +1-352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Statement of Hazard: Aspiration hazard, Environmentally hazardous, Flammable liquid, In use may form flammable/explosive vapour-air mixture, Irritant, Narcotic effects , Respiratory irritant

Acute Health Hazard: Irritant to eyes, skin, mucous membranes and respiratory system.
May be harmful by ingestion, skin absorption and inhalation.

Chronic Health Hazard: Target organ effect

HMIS Rating: H: 2 F: 3 P: 0

NFPA Rating: H: 2 F: 3 R: 0

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):
GHS Classification in accordance with Regulation (EC) No 1272/2008:

Acute toxicity, dermal (Category 4), H312
Acute toxicity, inhalation (Category 4), H332
Aspiration hazard (Category 1), H304
Flammable liquids (Category 2), H225
Hazardous to the aquatic environment, chronic toxicity (Category 2), H411
Serious eye damage/eye irritation (Category 2A), H319
Skin corrosion/irritation (Category 2), H315
Specific target organ toxicity, single exposure (Category 1), H370
Specific target organ toxicity, single exposure; Narcotic effects (Category 3), H336
Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3), H335

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

H225 Highly flammable liquid and vapor.
H304 May be fatal if swallowed and enters airways.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H370 Causes damage to organs.
H411 Toxic to aquatic life with long-lasting effects.

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P240 Ground/bond container and receiving equipment.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 IF ON SKIN: wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 Do NOT induce vomiting.
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P403+P235 Store in a well-ventilated place. Keep cool.

Supplemental Statement(s):

EUH018 In use may form flammable/explosive vapour-air mixture

SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

Chemical Name:

Cyclohexane 98%

Synonyms:

Hexamethylene; Hexanaphthalene; Hexahydrobenzene

CAS Number: 110-82-7

MDL Number: MFCD00003814

EINECS Number: 203-806-2

Beilstein Registry Number: 1900225

Molecular Formula: C₆H₁₂

Molecular Weight: 84.16

Content: As specified in product name.

SECTION 4: FIRST AID MEASURES

Eye Contact: Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention.

Skin Contact: Wash skin with soap and water. If irritation persists, seek medical attention.

Ingestion: Do not induce vomiting. Seek medical attention.

Inhalation: Move to a fresh air environment. Contact a physician if breathing becomes difficult.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point (°C): -18

Explosion Limits: Lower, % by volume: 1
Upper, % by volume: 9

Auto Ignition Temperature (°C): 260

Extinguishing Media: Carbon dioxide, dry chemical powder, alcohol-resistant foam, or water spray

Protective Equipment: Wear self-contained respirator and fully protective impervious suit.

Specific Hazards: May emit hazardous fumes under fire conditions. In use may form flammable/explosive mixture.

SECTION 6: ACCIDENTAL RELEASE MEASURES

<u>Personal Protection:</u>	Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed. Keep unprotected persons away.
<u>Environmental Protection:</u>	Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING and STORAGE

<u>Handling and Storage:</u>	Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away. Store in a tightly closed container in a dry, well-ventilated place.
<u>Sensitivities:</u>	Air
<u>Storage Temperature (°C):</u>	15 to 30

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Engineering Controls:</u>	Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction.
<u>Eye Protection:</u>	Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.
<u>Skin Protection:</u>	Wear impervious gloves and protective clothing.
<u>Respiratory Protection:</u>	Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.

<u>Exposure Limits:</u>	<u>Country</u>	<u>Source</u>	<u>Type</u>	<u>Value</u>
	USA	ACGIH	TWA	100 ppm
	USA	OSHA	STEL	Not Available
	USA	OSHA	PEL	Not Available

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

<u>Appearance:</u>	Liquid
<u>Odor:</u>	Not Available
<u>Odor Threshold:</u>	Not Available

<u>Flash Point (°C):</u>	-18
<u>Auto Ignition Temperature (°C):</u>	260
<u>UEL % by Volume:</u>	9
<u>LEL % by Volume:</u>	1
<u>Melting Point (°C):</u>	4-7
<u>Boiling Point (°C):</u>	80-81
<u>Evaporation Rate:</u>	Not Available
<u>pH Value:</u>	Not Available
<u>Density (g/cm³):</u>	0.779
<u>Refractive Index (n²⁰_D):</u>	1.426
<u>Viscosity:</u>	Not Available
<u>Solubility in Water:</u>	Not Available
<u>Solubility in Other:</u>	Not Available
<u>Vapor Pressure (mmHg):</u>	Not Available
<u>Vapor Density (Air=1):</u>	77

SECTION 10: STABILITY and REACTIVITY

<u>Stability:</u>	Stable under normal temperatures and pressures.
<u>Incompatibility:</u>	Strong oxidizing agents
<u>Reactivity:</u>	Product may react with incompatible materials to release other hazardous substances.
<u>Conditions to Avoid:</u>	Heat, flame, sparks, other ignition sources.
<u>Hazardous Decomposition Products:</u>	Carbon oxides

SECTION 11: TOXICOLOGICAL INFORMATION

RTECS Reference:

GU6300000

Target Organs:

Lungs, Central Nervous System

Toxicity Data:

Oral Rat LD ₅₀ mg/kg:	12705.00
Dermal Rabbit LD ₅₀ mg/kg:	2000.00
Inhalation Rat LC ₅₀ , mg/m ³ :	13900.00

Carcinogenicity:

National Toxicology Program (NTP) listed:
Not Available

International Agency for Research on Cancer (IARC) listed: Not Available

Potential Symptoms:

Not Available

SECTION 12: ECOLOGICAL INFORMATION

Toxicity:

Bluegill LC ₅₀ :	34.70 mg/l - 96 hrs.
Flathead minnow LC ₅₀ :	93.00 mg/l - 93.00 hrs.
Water flea LC ₅₀ :	3.78 mg/l - 3.78 hrs.

SECTION 13: DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name:

Cyclohexane

DOT UN Number:

UN1145

DOT Hazard Class:

Class 3

DOT Packing Group:

PGII

Reportable Quantity:

1000 lbs

IMDG Shipping Name:

Cyclohexane

IMDG UN Number:

UN1145

IMDG Hazard Class:

Class 3

IMDG Packing Group:

PG II

Marine Pollutant: No

IATA Shipping Name: Cyclohexane

IATA UN Number: UN1145

IATA Hazard Class: Class 3

IATA Packing Group: PG II

SECTION 15: REGULATORY INFORMATION

United States

Toxic Substance Control Act (TSCA) listed: Yes

Superfund Amendments and Reauthorization Act (SARA 302) listed: No

Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No

Superfund Amendments and Reauthorization Act (SARA 313) listed: Yes

European Union

European Inventory of Existing Chemical Substances (EINECS): 203-806-2

GHS Classification in accordance with Regulation (EC) No 1272/2008: Yes

Canada

Canadian Domestic Substances List (DSL) listed: Yes

Canadian Non-Domestic Substances List (NDSL) listed: No

SECTION 16: OTHER INFORMATION

Date Prepared: 6/21/2023

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.