

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Product Name: Ethyl diazoacetate

Product Code: E07250

Supplier: Pfaltz & Bauer, Inc.
172 E. Aurora Street
Waterbury, CT 06708 USA

Phone: 203-574-0075

FAX: 203-574-3181

Emergency Phone: INFOTRAC, US: 1-800-535-5053
INFOTRAC, INTERNATIONAL: +1-352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Statement of Hazard: Flammable liquid, Irritant, Respiratory irritant, Self-reactive substance

Acute Health Hazard: Irritant to eyes, skin, mucous membranes and respiratory system.
May be harmful by ingestion, skin absorption and inhalation.

Chronic Health Hazard: Carcinogen

HMIS Rating: H: 2 F: 2 P: 3

NFPA Rating: H: 2 F: 2 R: 3

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):
GHS Classification in accordance with Regulation (EC) No 1272/2008:

Acute toxicity, dermal (Category 4), H312
Acute toxicity, inhalation (Category 4), H332
Acute toxicity, oral (Category 4), H302
Carcinogenicity (Category 2), H351
Flammable liquids (Category 3), H226
Self-reactive substances and mixtures and Organic peroxides (Category Types C, D, E, F), H242
Serious eye damage/eye irritation (Category 2A), H319
Skin corrosion/irritation (Category 2), H315
Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3), H335

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

H226 Flammable liquid and vapor.
H242 Heating may cause a fire.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P220 Keep/Store away from clothing/.../combustible materials.
P234 Keep only in original container.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.
P302+P352 IF ON SKIN: wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P403+P235 Store in a well-ventilated place. Keep cool.
P420 Store away from other materials.

SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

Chemical Name:

Ethyl diazoacetate

Synonyms:

Ethyl 2-diazoacetate; Diazoacetic ester; EDA, EDZA;
Ethoxycarbonyldiazomethane

CAS Number:

623-73-4

<u>MDL Number:</u>	MFCD00001989
<u>EINECS Number:</u>	210-810-8
<u>Beilstein Registry Number:</u>	107654
<u>Molecular Formula:</u>	C ₄ H ₆ N ₂ O ₂
<u>Molecular Weight:</u>	114.10
<u>Content:</u>	As specified in product name.

SECTION 4: FIRST AID MEASURES

<u>Eye Contact:</u>	Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention.
<u>Skin Contact:</u>	Wash skin with soap and water. If irritation persists, seek medical attention.
<u>Ingestion:</u>	Do not induce vomiting. Seek medical attention.
<u>Inhalation:</u>	Move to a fresh air environment. Contact a physician if breathing becomes difficult.

SECTION 5: FIRE FIGHTING MEASURES

<u>Flash Point (°C):</u>	46
<u>Explosion Limits:</u>	Not Available
<u>Auto Ignition Temperature (°C):</u>	Not Available
<u>Extinguishing Media:</u>	Carbon dioxide, dry chemical powder, alcohol-resistant foam, or water spray
<u>Protective Equipment:</u>	Wear self-contained respirator and fully protective impervious suit.
<u>Specific Hazards:</u>	May emit hazardous fumes under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

<u>Personal Protection:</u>	Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed. Keep unprotected persons away.
-----------------------------	--

Environmental Protection:

Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING and STORAGE

Handling and Storage:

Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away.
Store in a tightly closed container in a dry, well-ventilated place.

Sensitivities:

Not Available

Storage Temperature (°C):

2 to 8

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction.

Eye Protection:

Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.

Skin Protection:

Wear impervious gloves and protective clothing.

Respiratory Protection:

Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.

Exposure Limits:

<u>Country</u>	<u>Source</u>	<u>Type</u>	<u>Value</u>
USA	ACGIH	TWA	50 ppm
USA	OSHA	STEL	Not Available
USA	OSHA	PEL	Not Available

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

Appearance:

Clear liquid

Odor:

Not Available

Odor Threshold:

Not Available

Flash Point (°C):

46

Auto Ignition
Temperature (°C):

Not Available

<u>UEL % by Volume:</u>	Not Available
<u>LEL % by Volume:</u>	Not Available
<u>Melting Point (°C):</u>	-22
<u>Boiling Point (°C):</u>	140-141/720mm
<u>Evaporation Rate:</u>	Not Available
<u>pH Value:</u>	Not Available
<u>Density (g/cm³):</u>	1.085
<u>Refractive Index (n^{20D}):</u>	1.46
<u>Viscosity:</u>	Not Available
<u>Solubility in Water:</u>	Not Available
<u>Solubility in Other:</u>	Not Available
<u>Vapor Pressure (mmHg):</u>	Not Available
<u>Vapor Density (Air=1):</u>	Not Available

SECTION 10: STABILITY and REACTIVITY

<u>Stability:</u>	Stable under normal temperatures and pressures.
<u>Incompatibility:</u>	Strong oxidizing agents, Alkali metals, Aluminum, Bases
<u>Reactivity:</u>	Product may react with incompatible materials to release other hazardous substances.
<u>Conditions to Avoid:</u>	Heat, flame, sparks, other ignition sources.
<u>Hazardous Decomposition Products:</u>	Carbon oxides, Nitrogen oxides

SECTION 11: TOXICOLOGICAL INFORMATION

<u>RTECS Reference:</u>	AG5775000
<u>Target Organs:</u>	Liver, pancreas, Blood, Central nervous system, Heart, Kidney

<u>Toxicity Data:</u>	Oral Rat LD ₅₀ mg/kg:	400.00
	Intravenous Rat LD ₅₀ mg/kg:	280.00

<u>Carcinogenicity:</u>	National Toxicology Program (NTP) listed: Not Available
	International Agency for Research on Cancer (IARC) listed: Not Available

<u>Potential Symptoms:</u>	Not Available
----------------------------	---------------

SECTION 12: ECOLOGICAL INFORMATION

<u>Toxicity:</u>	Not Available
------------------	---------------

SECTION 13: DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

<u>DOT Shipping Name:</u>	Self-Reactive Liquid Type E
---------------------------	-----------------------------

<u>DOT UN Number:</u>	UN3227
-----------------------	--------

<u>DOT Hazard Class:</u>	Class 4.1
--------------------------	-----------

<u>DOT Packing Group:</u>	No Packing Group
---------------------------	------------------

<u>Reportable Quantity:</u>	5000 lbs
-----------------------------	----------

<u>IMDG Shipping Name:</u>	Self-Reactive Liquid Type E
----------------------------	-----------------------------

<u>IMDG UN Number:</u>	UN3227
------------------------	--------

<u>IMDG Hazard Class:</u>	Class 4.1
---------------------------	-----------

<u>IMDG Packing Group:</u>	No PG
----------------------------	-------

<u>Marine Pollutant:</u>	No
--------------------------	----

<u>IATA Shipping Name:</u>	Self-Reactive Liquid Type E
----------------------------	-----------------------------

<u>IATA UN Number:</u>	UN3227
------------------------	--------

<u>IATA Hazard Class:</u>	Class 4.1
---------------------------	-----------

<u>IATA Packing Group:</u>	No PG
----------------------------	-------

SECTION 15: REGULATORY INFORMATION

United States

Toxic Substance Control Act (TSCA) listed: No

Superfund Amendments and Reauthorization Act (SARA 302) listed: No

Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No

Superfund Amendments and Reauthorization Act (SARA 313) listed: No

European Union

European Inventory of Existing Chemical Substances (EINECS): 210-810-8

GHS Classification in accordance with Regulation (EC) No 1272/2008: Yes

Canada

Canadian Domestic Substances List (DSL) listed: No

Canadian Non-Domestic Substances List (NDSL) listed: No

SECTION 16: OTHER INFORMATION

Date Prepared: 6/21/2023

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.