

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Product Name: Sodium dihydrido-bis(2-methoxyethoxy)aluminate 70% in Toluene

Product Code: S04965

Supplier: Pfaltz & Bauer, Inc.
172 E. Aurora Street
Waterbury, CT 06708 USA

Phone: 203-574-0075

FAX: 203-574-3181

Emergency Phone: INFOTRAC, US: 1-800-535-5053
INFOTRAC, INTERNATIONAL: +1-352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Statement of Hazard: Aspiration hazard, Corrosive, Dangerous when wet, Flammable liquid, In use may form flammable/explosive vapour-air mixture, Irritant, Narcotic effects , Reacts violently with water, Toxic

Acute Health Hazard: Irritant to eyes, skin, mucous membranes and respiratory system. May be harmful by ingestion and inhalation, toxic by skin absorption. Irritant to eyes, skin, mucous membranes and respiratory system. May be toxic by ingestion and skin absorption, may be harmful by inhalation.

Chronic Health Hazard: Target organ effect, Teratogen

HMIS Rating: H: 3 F: 3 P: 2

NFPA Rating: H: 3 F: 3 R: 2

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

GHS Classification in accordance with Regulation (EC) No 1272/2008:

Acute toxicity, dermal (Category 3), H311
Acute toxicity, inhalation (Category 4), H332
Acute toxicity, oral (Category 3), H301
Aspiration hazard (Category 1), H304
Flammable liquids (Category 2), H225
Reproductive toxicity (Category 2), H361
Serious eye damage/eye irritation (Category 1), H318
Skin corrosion/irritation (Category 1A), H314
Specific target organ toxicity, single exposure (Category 2), H371
Specific target organ toxicity, single exposure; Narcotic effects (Category 3), H336
Substances and mixtures which, in contact with water, emit flammable gases (Category 1), H260

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

H225 Highly flammable liquid and vapor.
H260 In contact with water releases flammable gases which may ignite spontaneously.
H301 Toxic if swallowed.
H304 May be fatal if swallowed and enters airways.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.
H361 Suspected of damaging fertility or the unborn child.
H371 May cause damage to organs.

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.
P231+P232 Handle under inert gas. Protect from moisture.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 IF ON SKIN: wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

Supplemental Statement(s):

EUH014 Reacts violently with water
EUH018 In use may form flammable/explosive vapour-air mixture

SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

<u>Chemical Name:</u>	Sodium dihydrido-bis(2-methoxyethoxy)aluminate 70% in Toluene
<u>Synonyms:</u>	SBAH; Sodium bis(2-methoxyethoxy)aluminum dihydride; Vitride
<u>CAS Number:</u>	22722-98-1
<u>MDL Number:</u>	MFCD00011631
<u>EINECS Number:</u>	245-178-2
<u>Beilstein Registry Number:</u>	Not Available
<u>Molecular Formula:</u>	C ₆ H ₁₆ AlNaO ₄
<u>Molecular Weight:</u>	202.16
<u>Content:</u>	As specified in product name.

SECTION 4: FIRST AID MEASURES

<u>Eye Contact:</u>	Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention.
<u>Skin Contact:</u>	Wash skin with soap and water. If irritation persists, seek medical attention.
<u>Ingestion:</u>	Do not induce vomiting. Seek medical attention.
<u>Inhalation:</u>	Move to a fresh air environment. Contact a physician if breathing becomes difficult.

SECTION 5: FIRE FIGHTING MEASURES

<u>Flash Point (°C):</u>	4
<u>Explosion Limits:</u>	Lower, % by volume: Not Available Upper, % by volume: 7.
<u>Auto Ignition Temperature (°C):</u>	Not Available
<u>Extinguishing Media:</u>	Carbon dioxide, dry chemical powder or alcohol-resistant foam. Do not use water spray.
<u>Protective Equipment:</u>	Wear self-contained respirator and fully protective impervious suit.
<u>Specific Hazards:</u>	May emit hazardous fumes under fire conditions. In use may form flammable/explosive mixture., May emit hazardous fumes under fire conditions. Reacts violently with water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Protection: Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed. Keep unprotected persons away.

Environmental Protection: Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING and STORAGE

Handling and Storage: Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away.
Store in a tightly closed container in a dry, well-ventilated place. Store under inert gas. Store under nitrogen.

Sensitivities: Moisture

Storage Temperature (°C): 15 to 30

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction.

Eye Protection: Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.

Skin Protection: Wear impervious gloves and protective clothing.

Respiratory Protection: Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.

<u>Exposure Limits:</u>	<u>Country</u>	<u>Source</u>	<u>Type</u>	<u>Value</u>
	USA	ACGIH	TWA	20 ppm
	USA	OSHA	STEL	150 ppm
	USA	OSHA	PEL	Not Available

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

Appearance: Light yellow liquid

<u>Odor:</u>	Not Available
<u>Odor Threshold:</u>	Not Available
<u>Flash Point (°C):</u>	4
<u>Auto Ignition Temperature (°C):</u>	Not Available
<u>UEL % by Volume:</u>	7.
<u>LEL % by Volume:</u>	Not Available
<u>Melting Point (°C):</u>	Not Available
<u>Boiling Point (°C):</u>	110
<u>Evaporation Rate:</u>	Not Available
<u>pH Value:</u>	Not Available
<u>Density (g/cm³):</u>	1.020
<u>Refractive Index (n²⁰_D):</u>	Not Available
<u>Viscosity:</u>	Not Available
<u>Solubility in Water:</u>	REACTS VIOLENTLY WITH WATER - MAY FORM AN EXPLOSIVE OR FLAMMABLE MIXTURE WITH AIR
<u>Solubility in Other:</u>	Soluble in Aromatic hydrocarbons, Ether, THF, Dimethyl ether, Dimethylformamide
<u>Vapor Pressure (mmHg):</u>	Not Available
<u>Vapor Density (Air=1):</u>	Not Available

SECTION 10: STABILITY and REACTIVITY

<u>Stability:</u>	Stable under normal temperatures and pressures.
<u>Incompatibility:</u>	Alcohols, Strong oxidizing agents, Acids, Water, Halogens
<u>Reactivity:</u>	Product may react with incompatible materials to release other hazardous substances.
<u>Conditions to Avoid:</u>	Heat, flame, sparks, other ignition sources.

Hazardous
Decomposition Products:

Aluminum oxides, Carbon oxides, Sodium oxides

SECTION 11: TOXICOLOGICAL INFORMATION

RTECS Reference: Not Available

Target Organs: Not Available

Toxicity Data: Oral Rat LD₅₀ mg/kg: 50.00
Dermal Rabbit LD₅₀ mg/kg: 200.00

Carcinogenicity: National Toxicology Program (NTP) listed:
Not Available

International Agency for Research on Cancer (IARC) listed: Not Available

Potential Symptoms: Not Available

SECTION 12: ECOLOGICAL INFORMATION

Toxicity: Not Available

SECTION 13: DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Organometallic Substance, Liquid, Water-Reactive, Flammable

DOT UN Number: UN3399

DOT Hazard Class: Class 4.3, 3

DOT Packing Group: PGI

Reportable Quantity: 1000 lbs

IMDG Shipping Name: Organometallic Substance, Liquid, Water-Reactive, Flammable

IMDG UN Number: UN3399

IMDG Hazard Class: Class 4.3, 3

IMDG Packing Group: PGI

Marine Pollutant: No

IATA Shipping Name: Organometallic Substance, Liquid, Water-Reactive, Flammable

IATA UN Number: UN3399

IATA Hazard Class: Class 4.3, 3

IATA Packing Group: PGI

SECTION 15: REGULATORY INFORMATION

United States

Toxic Substance Control Act (TSCA) listed: Yes

Superfund Amendments and Reauthorization Act (SARA 302) listed: No

Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No

Superfund Amendments and Reauthorization Act (SARA 313) listed: No

European Union

European Inventory of Existing Chemical Substances (EINECS): 245-178-2

GHS Classification in accordance with Regulation (EC) No 1272/2008: Yes

Canada

Canadian Domestic Substances List (DSL) listed: Yes

Canadian Non-Domestic Substances List (NDSL) listed: No

SECTION 16: OTHER INFORMATION

Date Prepared: 2/28/2024

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.